



Polyester Enclosure for Water Meter Type I

Standard Features

- Viewing window with lockable shutter
- Weatherproof & rigid construction, suitable for outdoor use
- High impact, corrosion & temperature resistant
- Butt type stainless steel hinges
- key locks, zinc die cast & chrome plated – 2 nos
- Wall thickness 3 mm generally
- Fire retardant, self extinguishing to BS 476: Part 7: 1997 Class 2
- External finish: Plain semi gloss light grey gelcoat finish to RAL 7035
- Long life flat rubber door seal
- Drain holes
- All hardware of galvanized steel or non-corrosive material

Options:

- GRP back plate
- External finish in colours as per standard chart below

Standard Colours

- ◆ Light Grey - RAL 7035
- ◆ Pure White - RAL 9010
- ◆ Light Ivory - RAL 1015
- ◆ Grass Green - RAL 6010
- Other colours on special request

PRODUCT REFERENCE	INTERNAL SIZE		
	HEIGHT H	WIDTH W	DEPTH D
WMB 602520	600	250	200
WMB 602523	600	250	230
WMB 653020	650	300	200
WMB 702525	700	250	250
WMB 707725	700	770	250
WMB 1202525	1200	250	250

For any other size please call for quotation.
Design details from those shown can be changed without prior notice.



Installation: Flush or Wall Mounting



POLYESTER ENCLOSURES: WATER METER TYPE 1

SIZES AVAILABLE


All dimensions in mm

Serial No.	Product Reference	Internal Size		
		Height (H)	Width (W)	Depth (D)
1	WMB 602520	600	250	200
2	WMB 602523	600	250	230
3	WMB 653020	650	300	200
4	WMB 702525	700	250	250
5	WMB 707725	700	770	250
6	WMB 1202525	1200	250	250


For dimensional reference, please refer to General Drawing.

Sizes mentioned are standard sizes. Customized sizes are available, please email inquiry@grpindustries.com.


Disclaimer: Design details from those displayed can be changed without prior notice




FRONT ELEVATION



SIDE ELEVATION/SECTION



REAR ELEVATION



SECTION : A-A

EPDM gasket all around



GRP Industries
www.grpindustries.com

TITLE : - WATER METER ENCLOSURE - TYPE I

SIZE:- GENERAL