

AQUA



18

## Spas & Accessories



### INDEX

	Page
1- SPA MODEL "MODENA"	306
2- SPA MODEL "PARMA"	308
3- SPA MODEL "RAVENNA"	310
4- SPA MODEL "RIMINI"	312
5- SPA MODEL "FERRARA"	314
6- SPA MODEL "FORLI"	316
7- SPA MODEL "PIACENZA"	318
8- SPA MODEL "CESENA"	320
9- SPA MODEL "IMOLA"	322
10- SPA MODEL "CARPI"	324
11- SPA MODEL "FAENZA"	326
12- SPA COVER	328
13- SPA COVER LIFTER	329
14- SPA ACCESSORIES	329
15- ABS PNEUMATIC BUTTON	330
16- PNEUMATIC RUBBER BUTTON	330
17- STAINLESS STEEL PNEUMATIC BUTTONS	330
18- PNEUMATIC SWITCH	330
19- CONCRETE JETS	330
20- ABS WALL HYDRO MASSAGE FITTINGS	331
21- WHIRLPOOL NOZZLE TOP	331
22- STAINLESS STEEL HYDROMASSAGE INLET - ORIENTABLE	331
23- STAINLESS STEEL HYDRO-MASSAGE INLET	332
24- THREADED BLOWER NOZZLE	332
25- STAINLESS STEEL AIR HYDRO-MASSAGE MINI INLET	332
26- STAINLESS STEEL AIR HYDRO-MASSAGE MILLEBOLLE	332
27- STAINLESS STEEL AIR HYDRO-MASSAGE PLATES	333
28- PUMP FOR WHIRLPOOL	333
29- AIR BLOWERS	334
30- SUCTION FILTERS FOR PRESSURE	335
31- PRESSURE & VACUUM RELIEF VALVES	335
32- SILENCERS	335

# Spas & Accessories

## A BETTER MASSAGE

### Broad Stream "Aqua-massage" Jets

Most jets have small and/or straight water nozzles that dig into your back and are uncomfortable and annoying. Our broad stream jets distribute the water more evenly and our customers regularly tell us how much nicer our jets feel.

### Create the Perfect massage

Dozens of pulse, swirl, deep tissue and air massage jets have been precisely positioned to target muscles in your back, neck, shoulder, legs and feet (never on the spine) and create an awesome hydro-massage experience. Move the "easy swap" jets around the spa to create the exact massage you want in the seat you want to sit in. You can also adjust the strength of individual jets as well as using seat by seat massage controllers to get the jet strength just right. Then relax and enjoy.

### Powerful, High Performance "Quiet Flo" Pumps

Spa Net pumps are quiet and very powerful, especially when combined with our "free flow" plumbing system that uses 50mm flexible plumbing and minimal sweeping (not 90 degree) elbows.

### More quiet Operation

To achieve total relaxation you need peace and quiet. Aqua Spas are known as building one of the worlds quietest spas by using quality pumps with special anti-vibration pump mounts and locking in noise with our 6 stage insulation system.

### More Comfortable

When you sit in a filled spa you realise that lay back and curved seats make you float and that most spa seats are not comfortable. The shaping of our seats helps you stay in place-making sure the jets hit the right spots and allowing you to relax and enjoy your spa. We have also designed all of our spas to offer extra room for your feet and more space overall, check the size of your footwell when doing your shopping.

### Total Relaxation

Surround yourself with essential oil aromatherapy, the sounds of a trickling waterfall, mood lighting and your choice of sound system to create the perfect mood and achieve total relaxation.

### Crystal Clear, Chlorine Free Water

Our Dynamic Water Management System with CD ozone, mixing chamber, dual pump twin cartridge filter system, "Smart Flow Valve", high flow circulation pump, optional "Micro Filter" and one-touch "Cleanup Cycle" all make keeping your spa clean and clear as easy as possible. And to make it even simpler, we have created our own natural spa sanitation system that replaces harsh chemicals and corrosive salts and stops skin and eye irritations and bad odorless.

## BUILT TO LAST

### Built Tough to Last Longer


- **"Tough Barrier" Base:** Our solid "Tough Barrier" fibreglass base makes the spa much stronger (so it lasts longer). It also stops water, vermin and cold air getting inside the cabinet and damaging your frame or spa.
- **"Tough Bond" Shells:** Our oven cured, 6 layer laminated "Tough Bond" shells are one of the thickest, strongest shells in the world (8-10mm thick) and we're proud of it. Be sure to check the thickness of the shell when you shop around.
- **"Tough Built" Frame:** Our "Tough Built" treated timber frames have triple reinforced corners, cross braced base frame and supports under every seat. They will never rot as they are protected by paint, chemical treatment and the fibreglass base.
- **Superior Components:** Only the best components and materials are used to build an Aqua Spas—including Australian Pumps and Control systems, German Silicones and American acrylic.

### Safety First - Meets all European Standards

Many spas on the market have not been tested to prove their electrical safety. Many do not even meet European Standards or have a proper compliance plate (with approval number). Aqua Spas have C-Tick and electrical safety approvals and meet all other standards. All suction are tested to ASME standards and are 600mm apart and every spa is fitted a safety vent linked to the filter system. Does the other spa you are looking at have these protections in place?

### Lifetime Customer Support Program

When you buy an Aqua Spas you are covered by a Lifetime Support Plan. For as long as you own an Aqua Spas you will have someone to turn to for support and spare parts. The factory, the European office, the state distributors and your local retailer can all help answer a question, solve a problem and supply parts so you can relax and enjoy your spa with total peace of mind.



## **EASIER TO MAINTAIN**

### **"Set and Forget" Multi-Function Control System**

After initial setup, however, your spa will remember your settings and you'll only have to turn on the jets, air blower and lights, knowing your spa will be the right temperature, clean and ready to enjoy 24 hours a day. This system also boasts a handy "lockout" mode (to keep out the kids or neighbours), "sleep" mode (to put your spa to sleep) and a "cleanup" cycle to refresh your spa after use.

### **Dynamic Water Management System**

- **Dual Pump "Smart Flow" Filter system:** To maximize water quality and filtration, Aqua Spas run two pumps through the 100 sq ft filter system, giving you a major boost when the spa is in use.
- **Smart Flow Boost Valve:** Aqua Spas a patented "swing valve" in the plumbing to minimise water bypasses the filters. This clever valve also protects your pump and family by opening if the filters or suctions are blocked.
- **High Flow 0.5HP "Energy Smart" Circulation Pump:** Unlike a 24 hour circulation pump (which lacks significant flow), our high flow circulation pumps keeps the water surface cleaner and water quality better. Our super reliable circulation pumps use a slightly smaller impeller to reduce pump stress, noise and power consumption.
- **"Puresafe" Ozone System with Mixing Chamber:** Ozone, when used correctly, is a powerful maintenance free and proven water treatment system that is used in over 95% of spas worldwide. The key to any good ozone system is a mixing chamber that ensures the ozone gas is fully utilized before re-entering the spa so it doesn't damage covers and headrests.
- **Optional Silver Ion (Microban) Filters:** You can choose to use a standard 50 micron "pleated" filter with your boost pump and a 1 micron "silver ion" micro filter with your circulation pump. These disposable cartridges are up to 50 times more effective at removing minute particles to provide the ultimate water clarity. They don't need to be cleaned and soaked (just surface sprayed) and with anti bacterial properties, these filter cartridges reduce chemical use.

### **Easy to Swap, Self Cleaning, Bearing - less Jets with PVC Body's**

Ask anyone who has owned a spa and they'll tell you that the bearings get clogged and stop spinning, the clips that hold the jets in place break and the back of the jets disintegrate. "Aqua-massage" jets are self cleaning, bearing-less jets that spin on a floating stainless steel shaft. With a screw-in mechanism they are easy to remove and don't rely on clips to stay in. And the PVC body means there is no chance of damage from chemicals.

### **Low Maintenance Cabinet**

Unlike timber cabinets which require staining and oiling, our cabinet panel is made from a synthetic material that only requires regular wash. With every panel removable, you can repair damaged panels at any time.

### **Aqua Spas Sanitation System**

Our exclusive spa sanitation system is chlorine and salt free and has no odors. More importantly it is safe for your family and is easier to use.

## **CHEAPER TO RUN**

### **Layer "Energy Smart" Insulation System**

Our exclusive multi-layer insulation system locks in heat, keeps out the cold and makes our spas more quiet. For the ultimate insulation system, add our (optional) "Thermo Lock Barrier".

### **"Custom Fit" Cabinets**

We tailor make every cabinet to make sure there are minimal gaps between the lip of the shell and the cabinet cladding. Without this you are simply throwing money away as the heat inside the cabinet rises (naturally) and escapes from this gap.

### **Smart Meter Ready**

Hook your spa up to a smart meter, choose "power save mode" and your spa will only filter or heat during off peak times, cutting your overall running costs by up to 25%. Even if your electricity provider does not currently offer smart meters, they soon will, and you'll be ready to enjoy the savings.

### **High Flow "Energy Smart" Circulation Pumps**

Our high flow circulation pumps only have to run 4 hours a day, not 24 hours a day like many other circulation pumps. Here are the facts about running costs for circulation pumps.

	24 Hr Circ Pump	2 Speed Pump	0.5 HP Circ Pump (with smaller impeller)
Hours a Day	24	4	4
Watts	90	450	370
Total Kw/Day	2.16 Kw	1.8 Kw	1.48 Kw
% Cheaper than 24 Hr Circ	-	-	31.5%
% Cheaper than 2 speed	-	-	18%

### **Bigger, More Efficient Heaters**

With larger, 2KW or 3.8KW variable output heaters, you can heat the water quicker, allowing the pump to turn off quicker (saving power).



## Spas & Accessories



### 1- SPA MODEL "MODENA"

#### FEATURES

Factory model name	RT360S
Allseas spas model	DS 100
Size	1950 x 1950 x 820mm
Seating	4
Lounge	1
Empty weight	250 kg
Water capacity	290 Gallon / 1122 Liters
Self cleaning water jets	28
Turbo air massage jets	10
Control system	Gecko / Balboa
Jet pump	1 x two-speed 3 HP
Air blower with aromatherapy	Standard
High flow circulation pump	1 x 0.5 HP
Heater	3 KW
Dia 125mm Large size LED underwater light	Multi LED
LED waterfall	Standard
LED fountain 3 pcs	-
Perimeter LED light system	Standard
Freshwater ozone and mixing chamber	Standard
Filtration system	Port skim filter 1 x 75 SF
Head cushions	3
High density foam insulation	25 - 30 mm
Thermo lock system	Stadard
Tough barrier fiberglass base	Stadard
Thermal cover	Stadard
Stainless steel jet	Stadard



4



1



38



1122 L



195\*195 \*82



Fiber glass  
base barrier



Ozone  
System




Digital  
Control




LED Light

## Business plan




## Fittings



6	6" Waterfall	01.03.03.0109	1	pc
5	1" Jet	01.03.04.0075	1	pc
4	Large 3" Single Pulse Jet	01.03.04.0086	6	pcs
3	2" Spinning Jet	01.03.04.0079	14	pcs
2	2" Jet Directional	01.03.04.0078	8	pcs
1	Air Jet	01.03.04.0076	10	pcs

## Therapy Assignment



# Spas & Accessories



## 2- SPA MODEL "PARMA"

FEATURES	
Factory model name	RT560
Allseas spas model	DS 200
Size	2180 x 2180 x 920 mm
Seating	4
Lounge	1
Empty weight	295 kg
Water capacity	355 Gallon / 1350 Liters
Self cleaning water jets	41
Turbo air massage jets	10
Control system	Gecko / Balboa
Jet pump	1 x two speed 3 HP 1 x one-speed 3 HP
Air blower with aromatherapy	Standard
High flow circulation pump	1 x 0.5 HP
Heater	2 kW / 3 KW
Dia 125mm Large size LED underwater light	Multi LED
LED waterfall	Standard
LED fountain 3 pcs	-
Perimeter LED light system	Standard
Freshwater ozone and mixing chamber	Standard
Filtration system	Port skim filter 1 x 75SF
Head cushions	3
High density foam insulation	25 - 30 mm
Thermo lock system	Stadard
Tough barrier fiberglass base	Stadard
Thermal cover	Stadard
Stainless steel jet	Stadard



4



1



51



1350 L



218\*218\*92



Fiber glass  
base barrier



Ozone  
System




Digital  
Control




LED Light

## Business plan




## Fittings



9	6"Waterfall	01.03.03.0109	1	pc
7	1" Jet	01.03.04.0075	1	pc
6	4"Single Pulse Jet	01.03.04.0089	6	pcs
5	Large 3"Single Pulse Jet	01.03.04.0086	17	pcs
4	2.5"Twinn Pulse Jet	01.03.04.0081	4	pcs
3	2"Spinning Jet	01.03.04.0079	12	pcs
2	2"Jet Directional	01.03.04.0078	2	pcs
1	Air Jet	01.03.04.0076	10	pcs

## Therapy Assignment





## Spas & Accessories



### 3- SPA MODEL "RAVENNA"

#### FEATURES

Factory model name	RT 730
Allseas spas model	DS 300
Size	2300 x 2300 x 920 mm
Seating	7
Lounge	-
Empty weight	373 kg
Water capacity	439 Gallon / 1680 Liters
Self cleaning water jets	42
Turbo air massage jets	14
Control system	Gecko / Balboa
Jet pump	1 x two-speed 3 HP
	1 x one-speed 3 HP
Air blower with aromatherapy	Standard
High flow circulation pump	1 x 0.5 HP
Heater	2 KW / 3 KW
Dia 125mm Large size LED underwater light	Multi LED
LED waterfall	Standard
Perimeter LED light system	Standard
Freshwater ozone and mixing chamber	Standard
Filtration system	Port skim filter 2 x 75 SF
Head cushions	4
High density foam insulation	25 - 30 mm
Thermo lock system	Standard
Tough barrier fiberglass base	Standard
Thermal cover	Standard
Stainless steel jet	Standard



7



56



1680 L



230\*230\*92



Fiber glass  
base barrier



Ozone  
System




Digital  
Control




LED Light

## Business plan




## Fittings



6		8"Waterfall	01.03.03.0109	1	pc
5		4"Single Pulse Jet	01.03.04.0089	6	pcs
4		Large 3"Single Pulse Jet	01.03.04.0086	21	pcs
3		2"Spinning Jet	01.03.04.0079	9	pcs
2		2"Jet Directional	01.03.04.0078	6	pcs
1		Air Jet	01.03.04.0076	10	pcs

## Therapy Assignment



## Spas & Accessories



### 4- SPA MODEL "RIMINI"

FEATURES	
Factory model name	RT 770
Allseas spas model	DS 400
Size	2300 x 2300 x 920 mm
Seating	3
Lounge	2
Empty weight	478 kg
Water capacity	439 Gallon / 1680 Liters
Self cleaning water jets	48
Turbo air massage jets	10
Control system	Gecko / Balboa
Jet pump	1 x two-speed 3 HP
	1 x one-speed 3 HP
Air blower with aromatherapy	Standard
High flow circulation pump	1 x 0.5 HP
Heater	2 KW / 3 KW
Dia 125mm Large size LED underwater light	Multi LED
LED waterfall	Standard
Perimeter LED light system	Standard
Freshwater ozone and mixing chamber	Standard
Filtration system	Port skim filter 2 x 75 SF
Head cushions	3
High density foam insulation	25 - 30 mm
Thermo lock system	Stadard
Tough barrier fiberglass base	Stadard
Thermal cover	Stadard
Stainless steel jet	Stadard



3



2



58



1980 L



230\*230\*92



Fiber glass  
base barrier



Ozone  
System




Digital  
Control




LED Light

## Business plan




## Fittings



10	6"Waterfall	01.03.03.0109	1	pc
9	5"Single Pulse Jet	01.03.04.0093	1	pc
8	5"Multi-port Face Twin Pulse Jet	01.03.04.0095	1	pc
7	4"Twinn Pulse Jet	01.03.04.0090	1	pc
6	4"Single Pulse Jet	01.03.04.0089	6	pcs
5	Large 3"Twinn Pulse Jet	01.03.04.0087	2	pcs
4	Large 3"Single Pulse Jet	01.03.04.0086	12	pcs
3	2"Spinning Jet	01.03.04.0079	20	pcs
2	2"Jet Directional	01.03.04.0078	7	pcs
1	Air Jet	01.03.04.0076	10	pcs

## Therapy Assignment





## Spas & Accessories



### 5- SPA MODEL "FERRARA"

#### FEATURES

Factory model name	DA - 1700 S
Allseas spas model	PS 100
Size	1950 x 1640 x 820 mm
Seating	1
Lounge	2
Empty weight	283 kg
Water capacity	211 Gallon / 800 Liters
Self cleaning water jets	26
Turbo air massage jets	8
Control system	Gecko / Balboa
Jet pump	1 x two-speed 3 HP
Air blower with aromatherapy	Standard
High flow circulation pump	1 x 0.5 HP
Heater	2 KW / 3 KW
Dia 125mm Large size LED underwater light	Multi LED
LED waterfall	Standard
Perimeter LED light system	Standard
Freshwater ozone and mixing chamber	Standard
Filtration system	2 x Cartridge filtration 2 x 50 SF
Head cushions	2
High density foam insulation	25 - 30 mm
Thermo lock system	Standard
Tough barrier fiberglass base	Standard
Thermal cover	Standard
Stainless steel jet	Standard



1



2



34



800 L



195\*164\*82



Fiber glass  
base barrier



Ozone  
System




Digital  
Control




LED Light


## Business plan



## Fittings



## Therapy Assignment



5		8"Waterfall	01.03.03.0110	1	pc
4		4" Twin Pulse Jet	01.03.04.0090	4	pcs
3		Large 3" Single Pulse Jet	01.03.04.0086	8	pcs
2		2" Spinning Jet	01.03.04.0079	14	pcs
1		Air Jet	01.03.04.0076	8	pcs

## Spas & Accessories



### 6- SPA MODEL "FORLI"

#### FEATURES

Factory model name	SV - 3600 S
Allseas spas model	PS 200
Size	2000 x 1640 x 820 mm
Seating	2
Lounge	1
Empty weight	283 kg
Water capacity	224 Gallon / 850 Liters
Self cleaning water jets	30
Turbo air massage jets	8
Control system	Gecko / Balboa
Jet pump	1 x two-speed 3 HP
Air blower with aromatherapy	Standard
High flow circulation pump	1 x 0.5 HP
Heater	2 KW / 3 KW
Dia 125mm Large size LED underwater light	Multi LED
LED waterfall	Standard
Perimeter LED light system	Standard
Freshwater ozone and mixing chamber	Standard
Filtration system	2 x Cartridge filtration 2 x 50 SF
Head cushions	3
High density foam insulation	25 - 30 mm
Thermo lock system	Standard
Tough barrier fiberglass base	Standard
Thermal cover	Standard
Stainless steel jet	Standard



2



1



38



850 L



200\*164\*82



Fiber glass  
base barrier



Ozone  
System




Digital  
Control




LED Light

## Business plan




## Fittings



9	8"Waterfall	01.03.03.0110	1	pc
8	5"Multi-port Face Twin Pulse Jet	01.03.04.0095	2	pcs
7	4"Twin Pulse Jet	01.03.04.0090	2	pcs
6	4"Single Pulse Jet	01.03.04.0089	2	pcs
5	2.5"Twin Pulse Jet	01.03.04.0081	6	pcs
4	2.5"Jet Directional	01.03.04.0080	6	pcs
3	2"Jet Directional	01.03.04.0078	2	pcs
2	1" Jet	01.03.04.0075	10	pcs
1	Air Jet	01.03.04.0076	8	pcs

## Therapy Assignment





## Spas & Accessories



### 7- SPA MODEL "PIACENZA"

#### FEATURES

Factory model name	RX 561
Allseas spas model	PS 300
Size	2100 x 2200 x 920 mm
Seating	5
Lounge	1
Empty weight	373 kg
Water capacity	356 Gallon / 1350 Liters
Self cleaning water jets	48
Turbo air massage jets	16
Control system	Gecko / Balboa
Jet pump	1 x two-speed 3 HP
	1 x one-speed 3 HP
Air blower with aromatherapy	Standard
High flow circulation pump	1 x 0.5 HP
Heater	2 KW / 3 KW
Dia 125mm Large size LED underwater light	Multi LED
LED waterfall	Standard
Perimeter LED light system	Standard
Freshwater ozone and mixing chamber	Standard
Filtration system	2 x Cartridge filtration 2 x 50 SF
Head cushions	4
High density foam insulation	25 - 30 mm
Thermo lock system	Standard
Tough barrier fiberglass base	Standard
Thermal cover	Standard
Stainless steel jet	Standard



5



1



64



1350 L



210\*220\*92



Fiber glass  
base barrier



Ozone  
System




Digital  
Control




LED Light


## Business plan



## Fittings



## Therapy Assignment



11	6"Waterfall	01.03.03.0109	1	pc
10	5"Multi-port Face Twin Pulse Jet	01.03.04.0095	2	pcs
9	4"Jet Directional	01.03.04.0088	6	pcs
8	4"Single Pulse Jet	01.03.04.0089	8	pcs
7	3"Jet Directional	01.03.04.0082	2	pcs
6	Large 3"Jet Directional	01.03.04.0085	2	pcs
5	Large 3"Single Pulse Jet	01.03.04.0086	12	pcs
4	2"Spinning Jet	01.03.04.0079	2	pcs
3	2"Jet Directional	01.03.04.0078	12	pcs
2	1" Jet	01.03.04.0075	2	pcs
1	Air Jet	01.03.04.0076	16	pcs

## Spas & Accessories



### 8- SPA MODEL "CESENA"

#### FEATURES

Factory model name	SV - 5700
Allseas spas model	PS 400
Size	2100 x 2100 x 920 mm
Seating	3
Lounge	2
Empty weight	369 kg
Water capacity	330 Gallon / 1250 Liters
Self cleaning water jets	49
Turbo air massage jets	12
Control system	Gecko / Balboa
Jet pump	1 x two-speed 3 HP
	1 x one-speed 3 HP
Air blower with aromatherapy	Standard
High flow circulation pump	1 x 0.5 HP
Heater	2 KW / 3 KW
Dia 125mm Large size LED underwater light	Multi LED
LED waterfall	Standard
Perimeter LED light system	Standard
Freshwater ozone and mixing chamber	Standard
Filtration system	2 x Cartridge filtration 2 x 50 SF
Head cushions	3
High density foam insulation	25 - 30 mm
Thermo lock system	Standard
Tough barrier fiberglass base	Standard
Thermal cover	Standard
Stainless steel jet	Standard



3



2



61



1250 L



210\*210\*92



Fiber glass  
base barrier



Ozone  
System




Digital  
Control




LED Light

## Business plan




## Fittings



11	8"Waterfall	01.03.03.0110	1	pc
10	5"Single Pulse Jet	01.03.04.0093	1	pc
9	5"Vacalona Jet	01.03.04.0101	1	pc
8	4"Twain Pulse Jet	01.03.04.0090	2	pcs
7	4"Single Pulse Jet	01.03.04.0089	3	pcs
6	Large 3"Twain Pulse Jet	01.03.04.0087	2	pcs
5	Large 3"Single Pulse Jet	01.03.04.0086	2	pcs
4	2.5"Twain Pulse Jet	01.03.04.0081	16	pcs
3	2.5"Jet Directional	01.03.04.0080	6	pcs
2	1" Jet	01.03.04.0075	16	pcs
1	Air Jet	01.03.04.0076	12	pcs

## Therapy Assignment





## Spas & Accessories



### 9- SPA MODEL "IMOLA"

#### FEATURES

Factory model name	RX 771
Allseas spas model	PS 500
Size	2300 x 2400 x 920 mm
Seating	4
Lounge	2
Empty weight	450 kg
Water capacity	475 Gallon / 1800 Liters
Self cleaning water jets	59
Turbo air massage jets	18
Control system	Gecko / Balboa
Jet pump	1 x two-speed 3 HP
	1 x one-speed 3 HP
Air blower with aromatherapy	Standard
High flow circulation pump	1 x 0.5 HP
Heater	2 KW / 3 KW
Dia 125mm Large size LED underwater light	Multi LED
LED waterfall	Standard
Perimeter LED light system	Standard
Freshwater ozone and mixing chamber	Standard
Filtration system	2 x Cartridge filtration 2 x 50 SF
Head cushions	4
High density foam insulation	25 - 30 mm
Thermo lock system	Standard
Tough barrier fiberglass base	Standard
Thermal cover	Standard
Stainless steel jet	Standard



4



2



77



1800 L



230\*240\*92



Fiber glass  
base barrier



Ozone  
System




Digital  
Control




LED Light

## Business plan




## Fittings



9	2"LED Fountain	01.03.04.0076	3	pcs
8	6"Waterfall	01.03.03.0109	1	pc
7	4"Single Pulse Jet	01.03.04.0089	4	pcs
6	Large 3"Jet Directional	01.03.04.0085	8	pcs
5	Large 3"Single Pulse Jet	01.03.04.0086	15	pcs
4	2"Spinning Jet	01.03.04.0079	10	pcs
3	2"Jet Directional	01.03.04.0078	22	pcs
2	1" Jet	01.03.04.0075	1	pc
1	Air Jet	01.03.04.0076	18	pcs

## Therapy Assignment



## Spas & Accessories



### 10- SPA MODEL "CARPI"

#### FEATURES

Factory model name	SL - 8600
Allseas spas model	PS 600
Size	3300 x 2330 x 980 mm
Seating	7
Lounge	1
Empty weight	580 kg
Water capacity	661 Gallon / 2500 Liters
Self cleaning water jets	72
Turbo air massage jets	14
Control system	Gecko / Balboa
Jet pump	2 x two-speed 3 HP
	1 x one-speed 3 HP
Air blower with aromatherapy	Standard
High flow circulation pump	1 x 0.5 HP
Heater	3.8 KW / 3 KW
Dia 125mm Large size LED underwater light	Multi LED
LED waterfall	Standard
Perimeter LED light system	Standard
Freshwater ozone and mixing chamber	Standard
Filtration system	2 x Cartridge filtration 2 x 50 SF
Head cushions	3
High density foam insulation	25 - 30 mm
Thermo lock system	Standard
Tough barrier fiberglass base	ABS
Thermal cover	Standard
Stainless steel jet	Standard



7



1



86



2500 L



330\*233\*98



Fiber glass  
base barrier



Ozone  
System




Digital  
Control




LED Light

## Business plan



## Fittings



9	•	2" Jet Directional	4	pcs
8	•	4" Jet Internal-Single Pulse	4	pcs
7	•	4" Jet Internal-Twin Pulse	3	pcs
6	—	8" Waterfall Body	1	pc
5	•	2" Jet Internal-Spinning	16	pcs
4	•	Large 3" Jet Internal-Directinal	3	pcs
3	•	Large 3" Jet Internal-Twin Pulse	11	pcs
2	•	Large 3" Jet Internal-Single Pulse	8	pcs
1	•	Large 1" Jet Assembly-Pearl Grey	16	pcs



# Spas & Accessories



6



48



1370 L



230\*92






Ozone System



Digital Control



LED Light



## 11- SPA MODEL "FAENZA"

### FEATURES

Factory model name	RT710
Allseas spas model	RPS 2300
Size	φ 2300 x 920 mm
Seating	6
Lounge	-
Empty weight	330 kg
Water capacity	362 Gallon / 1370 Liters
Self cleaning water jets	40
Turbo air massage jets	8
Control system	Balboa: GS 510 + VL 700 - 3 KW
Jet pump	2 x one-speed 3 HP
Air blower with aromatherapy	Standard
High flow circulation pump	1 x 0.5 HP
Heater	3 KW
Dia 125mm Large size LED underwater light	Multi LED
LED waterfall	-
LED fountain 3pcs	-
Perimeter LED light system	Standard
Freshwater ozone and mixing chamber	Standard
Filtration system	Pressure type filter 1 x 50 SF
Head cushions	-
High density foam insulation	25 - 30 mm
Thermo lock system	-
Tough barrier fiberglass base	-
Thermal cover	-
Stainless steel jet	Standard


### OVERFLOW OUTER SHAPE - ACCESSORIES:

NUMBER	ICON	DESCRIPTION	QTY
9		DRAIN - STAR-SHAPED - PLASTIC - 3/4" SOC	9
8		2" SUCTION - GALAXY FACE	5
7		LARGE 1" JET ASSEMBLY - PLASTIC	12
6		1" AIR INJECTOR ASSEMBLY - MULTI-FLOW - PLASTIC	7
5		LARGE 3" JET INTERNAL - RECESSED FACE - SCREW IN	26
4		5" LED LAMP	1
3		OZONE JET	2
2		CONTROL PANEL	1
1		OVERFLOW GRATING	315


P.S.: 1. CIRC. PUMP SYSTEM DESIGN: SINGLE PUMP/TWO PUMPS  
 2. TWO PUMPS DESIGN: 38pcs JETS (28pcs 3" JETS, 12pcs 1" JET); SINGLE PUMP DESIGN: 30pcs JETS (16pcs 3" JETS, 14pcs 1" JETS).  
 AIR JET: 8PCS.

## Attention:

1.5" and 2" Check Valve, fixed in the timbers  
its plumb line cannot exceed the spa lip



3. BALANCE ADJUSTMENT WHEN INSTALLATION.  
MINIMAL DISTANCE BETWEEN ELECTRONIC BASE/WATER TANK AND THE  
OVERFLOW SPA AS BELOW. ENOUGH SPACE MUST BE KEPT FOR MAINTENANCE.



## Spas & Accessories

### SPA SKIRT COLORS:



Grey (SK 05)



Brown (SK 06)


### SPA SHELL COLORS:

AQUA spa shells are made from world-famous Lucite® acrylic for the authentic look and longevity of classic stone. Exclusively available with Microban® antimicrobial product protection, which inhibits growth of bacteria that causes odor, stains and product degradation. It virtually never wears off, so it helps your spa stay cleaner between cleanings.


Choose from a wide range of finishes to fit any decor.

LUCITE®  
THE SOURCE OF INSPIRATION


Microban®  
antimicrobial product protection




Summer Sapphire  
GS6790




Mystic Emerald  
GS6786



Pearl Shadow  
LM8100



Sierra  
GR7014



Sterling Silver  
MB6427



Cameo  
LG7303

When ordering, kindly indicate after the spa name the numbers for skirt and shell colors.

Example: ATHENA-SK01-GS6786



Charcoal Grey  
SP-05-C



Brown  
SP-06-C

### 12- SPA COVER

- Made of high-level artificial leather after special waterproof treatment, (dampproof, mildewproof and ultraviolet-proof).
- High Density 100% virgin insulating foam core for superior insulation and strength.
- Heat sealed moisture barrier providing protection against premature moisture absorption.
- 20 gauge aluminum c-channel for lighter, extra strength and corrosion proof, ensuring structural integrity for the life of cover.
- Enhanced insulating power to reduce heating cost.
- Corrosion proof large #8 nylon zipper with protective flap will not corrode or pull apart.
- Protective custom fitted tapered skirt to protect against dust, dirt, wind and environmental contaminants.
- Superior steam sealer at the edge of the hinge, preventing heat and steam loss.
- Sturdy handles for easy handling, available with two or four handles.
- 4 Child resistant lock down straps with keys, exceeds ASTM requirements for safety and security.
- Quality warranty for 1.5 years against any defect in material or workmanship.
- Design/processing service according to the special request (size, shape, etc) from customer.

## 13- SPA COVER LIFTER

- Made in metal, equipped with pressure cylinder.
- Simple design proven to be absolutely trouble-free, with only one moving part and 3 built-in stop mechanism.

CODE

SP-102



## 14- SPA ACCESSORIES



GAZEBO  
CODE: SP-111



SAFETY HANDRAIL  
CODE: SP-113



MOVABLE TABLE  
CODE: SP-114



TOWEL HOLDER  
CODE: SP-115



STEP FOR SPA  
CODE: SP-118

## Spas & Accessories



### 15- ABS PNEUMATIC BUTTON

- Pneumatic button made in ABS.
- Complete of locking ring.

CODE	PACKING	WEIGHT kg	VOLUME m <sup>3</sup>
100160417			



### 16- PNEUMATIC RUBBER BUTTON

- Pneumatic button made in rubber for pulse transmissions up to 15 mt.

CODE	DESCRIPTION	PACKING	WEIGHT kg	VOLUME m <sup>3</sup>
100160416	Pneumatic Rubber Button			
108160022	Pipe Air Control (3 x 5)			



### 17- STAINLESS STEEL PNEUMATIC BUTTONS

- Made of AISI 316/L-V4A stainless steel

CODE	DESCRIPTION	PACKING	WEIGHT kg	VOLUME m <sup>3</sup>
SP-124	With 1 button to set on the border			
SP-125	With 2 buttons to set on the border			
SP-126	With 3 buttons to set into the pool			



### 18- PNEUMATIC SWITCH

- Converts pneumatic signals into electric ones.

CODE	DESCRIPTION	PACKING	WEIGHT kg	VOLUME m <sup>3</sup>
SP-130	For max. 15 m	25	1.0	0.028



### 19- CONCRETE JETS

- Spa jet with adaptor for connecting to a water return line and venture Ø 50 mm.

CODE	PACKING	WEIGHT kg	VOLUME m <sup>3</sup>
SP-131	12	8.0	0.028



## 20- ABS WALL HYDRO MASSAGE FITTINGS

**NEW**



CODE	DESCRIPTION	PACKING	WEIGHT kg	VOLUME m <sup>3</sup>
17100	Adjust. Std type - cover flange Ø110 mm conn. water Ø33 for Concrete			
17101	Adjust. Std type - cover flange Ø110 mm conn. water Ø33 for Liner			
17104	Rotor type - cover flange Ø110 mm conn. water Ø33 for Concrete			
17105	Rotor type - cover flange Ø110 mm conn. water Ø33 for Liner			
17108	Standard type with 7 jets Cover flange Ø110 mm conn. water Ø33 for Concrete			
17109	Standard type with 7 jets Cover flange Ø110 mm conn. water Ø33 for Liner			
17159	AISI 316/L - V4A Stainless Steel Plate for cover			

## 21- WHIRLPOOL NOZZLE TOP

- Whirlpool nozzle with frontal made in s. steel for Concrete and PVC with directional jet and floe regulation.
- Water fitting D. 50mm.
- Bilateral air suction D. 20mm.
- Flow rate 80 l/m.



CODE	DESCRIPTION	PACKING	WEIGHT kg	VOLUME m <sup>3</sup>
100160210	Whirlpool Nozzle PVC frontal INOX			
100160211	Whirlpool Nozzle concrete frontal INOX			

## 22- STAINLESS STEEL HYDROMASSAGE INLET - ORIENTABLE

- Shiny finished



CODE	DESCRIPTION	PACKING	WEIGHT kg	VOLUME m <sup>3</sup>
17013	Standard hydromassage inlet - 1" for Concrete			
17014	Standard hydromassage inlet - 1" for Liner			
17001	Wall inlet Standard threaded - 1½" - for Concrete			
17002	Wall inlet Standard threaded - 2" - for Concrete			
17003	Wall inlet Standard threaded - 3" - for Concrete			
17004	Wall inlet Standard threaded - 1½" - for Liner			
17005	Wall inlet Standard threaded - 2" - for Liner			

## Spas & Accessories



### 23- STAINLESS STEEL HYDRO-MASSAGE INLET

- Wall and floor hydro-massage inlets with 9 air and water jets.
- Made of AISI 316/L-V4A stainless steel.

CODE	DESCRIPTION	PACKING	WEIGHT kg	VOLUME m <sup>3</sup>
SP-120	S. Steel Hydro-massage Inlet for Concrete			
SP-121	S. Steel Hydro-massage Inlet for Liner			



### 24- THREADED BLOWER NOZZLE

- For air distribution into the SPA from of the blowers.

CODE	PACKING	WEIGHT kg	VOLUME m <sup>3</sup>
SP-145	80	1.6	0.03



### 25- STAINLESS STEEL AIR HYDRO-MASSAGE MINI INLET


- Mini Air inlet 1" , 16 holes.
- Made of AISI 316/L-V4A stainless steel.

CODE	PACKING	WEIGHT kg	VOLUME m <sup>3</sup>
SP-146			



### 26- STAINLESS STEEL AIR HYDRO-MASSAGE MILLEBOLLE


- AISI 316/L - V4A Stainless Steel - Shiny inished



POOL	CODE	DIMENSION				FLOW RATE m <sup>3</sup> /h	PACKING	WEIGHT kg	VOLUME m <sup>3</sup>
		A	B	C	D				
Concrete	75115	320	340	88	2" F	70	1		
Liner	75117	320	365	88	2" F	70	1		

## 27- STAINLESS STEEL AIR HYDRO-MASSAGE PLATES


- Made of AISI 316/L-V4A stainless steel.



POOL	CODE	DIMENSION				FLOW RATE m <sup>3</sup> /h	PACKING WEIGHT VOLUME	
		A	B	C	D		kg	m <sup>3</sup>
Concrete	SP-147	150	500	1 x 2"	-	50	1	
	SP-148	150	750	1 x 2"	-	70	1	
	SP-149	150	1500	2 x 1½"	1000	100	1	
Liner	SP-150	220	500	1 x 2"	-	50	1	
	SP-151	220	750	1 x 2"	-	70	1	
	SP-152	220	1500	2 x 1½"	1000	100	1	

## 28- PUMP FOR WHIRLPOOL

- Pump without pre-filter for whirlpool implant.
- The version single-phase incorporates in the terminal the switch for direct control of the pneumatic button.



CODE	DESCRIPTION	FITTINGS	POWER	THERMAL A	PACKING WEIGHT VOLUME	
			kW			
100160500	Whirlpool Pump 1,5 HP Singlephase 220 V	2" - 1½"	0.75	6 - 9	1	
100160501	Whirlpool Pump 1,5 HP Threephase 380 V	2" - 1½"	1.49	4 - 6	1	
100160502	Whirlpool Pump 2 HP Singlephase 220 V	2" - 1½"	1.49	6 - 9	1	
100160503	Whirlpool Pump 2 HP Threephase 380 V	2" - 1½"	1.49	4 - 6	1	
100160504	Whirlpool Pump 3,5 HP Threephase 380 V	2½" - 2"	2.61	4 - 6	1	
100160505	Whirlpool Pump 4,5 HP Threephase 380 V	2½" - 2"	3.36	4 - 6	1	

# Spas & Accessories


## 29- AIR BLOWERS

### SINGLE STAGE BLOWERS SERIES "HPE"


- Single stage side channel blowers, without lubrication nor maintenance.
- Suction and blowing silencers integrated.
- Recommended accessories (not included):
  - Pressure / vacuum relief valve.
  - Suction pre-filter.



VACUUM




PRESSURE



CODE	PHASE	POWER KW	VOLTAGE V	NOISE LEVEL db	CONNECTION	MAX. VACUUM/PRESSURE mbar-hPa	FLOW m³/h	PACKING	WEIGHT kg	VOLUME m³
HPE-2005-1	Single	0.4	Δ 200-240	53	1¼"	-120/130	80	1	11	
HPE-2005	Three	0.4	Δ220-240/¥345-415	53	1¼"	-120/130	80	1	10	
HPE-3010-1	Single	0.85	Δ 200-240	63	1½"	-160/160	145	1	16	
HPE-3010	Three	0.85	Δ200-240/¥345-415	63	1½"	-160/160	145	1	15	
HPE-4015	Three	1.3	Δ200-240/¥345-415	64	2"	-170/170	210	1	20	
HPE-5021	Three	1.6	Δ220-240/¥345-415	69	2"	-160/150	318	1	26	
HPE-5026	Three	2.2	Δ200-240/¥345-415	69	2"	-230/230	318	1	29	
HPE-6037	Three	3	Δ200-240/¥345-415	69	2"	-260/280	318	1	34	


## 30- SUCTION FILTERS FOR PRESSURE

- Filtration: 40 µm.
- Maximum temperature: 50° C.
- Filtering Element: Papel.




CODE	FLOW m³/h	SURFACE m²	DIMENSIONS				PACKING	WEIGHT kg	VOLUME m³
			A	B	C	D			
SP-156	210	< 4	Ø 130	130	45	1¼"	1	0.9	
SP-157	270	4 - 6	Ø 172	160	50	1½"	1	1.5	
SP-158	480	6 - 8	Ø 195	160	60	2"	1	2.1	

## 31- PRESSURE & VACUUM RELIEF VALVES



CODE	PT	L mm	DIMENSION	PACKING	WEIGHT kg	VOLUME m³
SP-159	1¼"	143	0-3000mm Aq	1		
SP-160	1¼"	143	0-6000mm Aq	1		

## 32- SILENCERS



CODE	DIMENSIONS					PACKING	WEIGHT kg	VOLUME m³
	A	B	C	D	E			
SP-161	230	168	31	Ø 77	1¼"	1		
SP-162	262	198	32	Ø 87	1½"	1		
SP-163	266	198	34	Ø 98	2"	1		